

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/779,810	02/18/2004	George Plester	01638.0014.NPUS01	6837
22930	7590 07/31/2006		EXAM	INER
HOWREY LLP C/O IP DOCKETING DEPARTMENT 2941 FAIRVIEW PARK DR, SUITE 200 FALLS CHURCH, VA 22042-2924			TRUONG, THANH K	
			ART UNIT	PAPER NUMBER
			3721	
			DATE MAILED: 07/31/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
-	10/779,810	PLESTER, GEORGE
Office Action Summary	Examiner	Art Unit
	Thanh K. Truong	3721
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION (36(a). In no event, however, may a reply be ting will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
1) ☐ Responsive to communication(s) filed on 24 M 2a) ☐ This action is FINAL. 2b) ☐ This 3) ☐ Since this application is in condition for alloware closed in accordance with the practice under E	s action is non-final. nce except for formal matters, pro	
Disposition of Claims		
4) ☐ Claim(s) 1-19,66,68 and 70 is/are pending in the day of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-19, 66,68 and 70 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or contents.	wn from consideration.	
Application Papers	•	
9)☐ The specification is objected to by the Examine 10)☒ The drawing(s) filed on <u>05 January 2006</u> is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11)☐ The oath or declaration is objected to by the Ex	: a)⊠ accepted or b)□ objected drawing(s) be held in abeyance. Set tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s) I) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	(PTO.413)
Notice of References Cited (PTO-932) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Da	

Page 2

Application/Control Number: 10/779,810

Art Unit: 3721

DETAILED ACTION

- 1. This action is in response to applicant's amendment received on May 24, 2006.
- 2. Applicant's cancellation of claims 20-65, 67 and 69 is acknowledged.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1, 2, 4-10, 12-17, 19, 66, 68 and 70 are rejected under 35 U.S.C. 103(a) as being unpatentable over Drevfors (6,256,964) in view of Helmut (5,860,461).

Drevfors discloses a method comprising the steps of:

filling the inside of the package (1) with a sterilizing vapour (column 4, lines 42-44);

holding the sterilizing vapour on the inside of the package for a sufficient amount of time to sterilize the inside of the package (column 4, lines 44-47);

removing a portion of the sterilizing vapour (column 4, lines 50-54);

filling the package with a product (column 4,lines 56-58);

capping the filling aperture of the package containing the product (column 4, lines 61-63).

Drevfors discloses the claimed invention, but does not expressly disclose the membrane fitted over the filling aperture.

Art Unit: 3721

Helmut discloses the membrane fitted over the filling aperture the membrane being configured to be disposed in a first position in which the membrane is substantially impenetrable to vapour and a second position in which the membrane has been displaced to permit the insertion of an elongated member into the package (figures 5, 6 & 10 and column 2, lines 60-63). Helmut method provides "a container of a sealing cap and a process which aseptic filling of beverages is possible at an acceptable level of engineering complexity and cost" (column 2, lines 24-28).

Therefore, it would have been obvious to one having ordinary skill in the art, at the time applicant's invention was made, to have modified Drevfors method by incorporating the method of using the membrane as taught by Helmut to provide a method in which aseptic filling of beverages is possible at an acceptable level of engineering complexity and cost.

The combining of the references (Drevfors and Helmut) further discloses:

the step of allowing a sufficient quantity of the sterilizing vapour to exit the package before filling the package with a product to avoid affecting the quality of the product, wherein the sterilizing vapour exits the package and sterilizes a part of a filling device that comes into contact with the product (Helmut - column 4, lines 37-42);

the membrane opens to greater than about 10% of the area of the filling aperture during the filling steps (Helmut – figure 5);

displacing the sterilizing vapour with sterile air (sterile gas as in claim 6), wherein the sterile air forms a headspace of the capped package (column 8, lines 1-8);

Art Unit: 3721

pressing the membrane segments tightly against inner walls of the package to accelerate displacement of the sterilizing vapour by eliminating the gap between membrane segments and the inside of the package (Helmut – figure 5);

the step of conveying the package between the filling steps and the capping step in a non-sterile atmosphere, wherein the inside of the package remains substantially free of microbiological contamination (figure 1 of Drevfors clearly shows the processing plant 3 is a non-sterile atmosphere) (as in claim 9);

the step of wetting the membrane with a fluid, wherein the wetted membrane has increased ability to prevent entry of contaminants;

heating the package wherein the heating increases the internal pressure of the gas in the package, and enhances prevention of entry of contaminants into the package (Helmut – column 4, lines 17-19);

using conventional non-aseptic filling equipment adapted to fill aseptically; wherein the non-aseptic filling equipment is used aseptically part time;

the step of sterilizing an outside surface of the membrane before the capping step; wherein the step of sterilizing an outside surface of the membrane is achieved with a sterilizing medium that does not affect the quality of the product in small amounts (Helmut – column 4, lines 22-24);

the step of sterilizing the parts of the filling device that come in contact with the product to be filled between filling operations by spraying with chlorinated water, by sterilizing vapour (Helmut – column 4, lines 37-42);

Art Unit: 3721

conveying the package from a location for filling the package with a sterilizing vapour to a filling location, the package having the sterilizing medium substantially sealed inside of the package while the package is being conveyed (Drevfors - figure 1); disposing a cap over the membrane, whereby the membrane becomes interal to the cap after the cap is disposed over the membrane (Helmut – figure 10); and the step of moving the package after the package is filled with sterilized vapour, the movement of the package occurring while the sterilizing vapour is being held inside of the package and while the membrane is disposed in the first position (Drevfors - figure 1).

5. Claims 3, 11 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Drevfors (6,256,964) in view of Helmut (5,860,461) as applied to claims 1 and 10 above; and further in view of Applicant Admitted Prior Art.

As discussed above in paragraph 4 of this office action, the combination of the references discloses the claimed invention, but did not expressly disclose that: the membrane material is an elastomer selected from the group consisting of silicone rubber, natural rubber, etc, wherein the fluid contains a thickener to increase the viscosity of the fluid, and the step of rinsing the parts of the filling device that come in contact with the product to be filled with hot water after each filling step.

In the office action date October 2, 2005, the examiner had taken Official Notice that it would have been obvious to one having ordinary skill in the art, at the time applicant's invention was made, to have used membrane that is made out of natural rubber to provide the elastic property to the mechanical sealing device (furthermore,

Helmut discloses the use of elastic material – column 5, lines 65), since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. *In re Leshin*, 125 USPQ 416; and

that it would have been obvious to one having ordinary skill in the art, at the time applicant's invention was made to have made the fluid contains a thickener to increase the viscosity of the fluid, since it is old and well known in the art to add thickener to increase the viscosity of the fluid (common sense); and

that it would have been obvious to one having ordinary skill in the art, at the time applicant's invention was made to rinse the parts of the filling device that come in contact with the product to be filled with hot water after each filling step to ensure the equipment is thoroughly sterilize in the process.

6. In the response filed October 2, 2005, Applicant had not properly challenged the Official Notice taken by the examiner in rejecting claims 3, 11 and 18. In general, a challenge, to be proper, must contain adequate information or argument so that on its face it creates a reasonable doubt regarding the circumstances justifying the Official Notice. Since the Applicant fails to properly challenge the Official Notice during examination, the Applicant's right to challenge the Official Notice is waived, and the subject matters recited in claims 3, 11 and 18 are considered as Applicant's admitted prior art.

Page 7

Application/Control Number: 10/779,810

Art Unit: 3721

Response to Arguments

7. Applicant's arguments filed May 24, 2006 have been fully considered but they are not persuasive.

- 8. The Applicant argues by citing Figure 12 of Helmut and stated that:
 - "... More specifically, Helmut discloses that the membrane may be opened by the insertion of a tube 40 into the bottle which may be connected to a sterilization tube 58, a filling tube 59 and an air backflow tube 60. (Figure 12.) During sterilization, "hot or superheated steam" may be "directed towards the opening portion of the connecting tube 40" once the membrane 39 is opened. (Co1.8, 11.6-9.) The "steam or gas can [then] escape through the still open mechanical seal 39 on the way from the sterilization device to the processing head 52 [emphasis added]." (Co1.8, 11.33-35.) Finally, "[t]he beverage is filled into the bottle through the filling tube 59, while gas may escape through the air backflow tube 60." (Co1.8, 11.12-14.)

Helmut does not disclose disposing the membrane in a first position while the bottle is both filled with sterilizing vapour and when the vapour is removed and then disposing the membrane in a second (different) position while the vapour is held inside of the bottle, as recited by claim 1 of the present invention. Rather, Helmut discloses that the mechanical seal 39 remains open during the steps of filling the bottle with sterilizing vapour releasing the sterilization vapour and filling the bottle with the product. The seal 39 is not closed even once until after the bottle has been sterilized and filled and is ready to be capped."

The above argument is not found persuasive, because:

First of all, figure 12 of Helmut is not being relied upon for the rejection of claims 1, 2, 4-10, 12-17, 19, 66, 68 and 70, and therefore, the above argument and any arguments that relied upon Figure 12 of Helmut are clearly irrelevant.

Secondly, Helmut is relied upon for the teaching of the <u>membrane fitted over the</u> <u>filling aperture</u> the membrane being configured to be disposed in a <u>first position</u> in which the membrane is substantially impenetrable to vapour and a <u>second position</u> in which

Art Unit: 3721

the membrane has been displaced to <u>permit the insertion of an elongated member into</u> the <u>package</u> (figures 5, 6 & 10 and column 2, lines 60-63).

Additionally, Helmut also discloses that:

"According to a preferred embodiment, the mechanical seal may be designed in a self-sealing fashion like a check valve which is opened during filling and then closes automatically" (column 2, lines 61-64),

thus, the examiner maintains that in combination, Drevfors and Helmut clearly disclose the claimed invention.

Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thanh K. Truong whose telephone number is 571-272-4472. The examiner can normally be reached on Mon-Thru 8:00AM - 6:30PM.

Application/Control Number: 10/779,810 Page 9

Art Unit: 3721

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rinaldi Rada can be reached on 571-272-4467. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

tkt July 25, 2006.

> LOUIS K. HUYNH PRIMARY EXAMINER

mis to Hugh